



US00D409101S

United States Patent [19]

[11] Patent Number: **Des. 409,101**

Howard et al.

[45] Date of Patent: **** May 4, 1999**

[54] **ULTRASONIC DISTANCE MEASURING DEVICE**

- D. 390,483 2/1998 Zykan et al. .
- 4,574,368 3/1986 Lipschutz .
- 4,910,717 3/1990 Terry .
- 4,942,765 7/1990 Hiniker et al. .
- 5,062,087 10/1991 Dydzyk .
- 5,075,977 12/1991 Rando .
- 5,182,863 2/1993 Rando .
- 5,287,627 2/1994 Rando .
- 5,631,875 5/1997 Romes et al. .

[75] Inventors: **John D. Howard**, Brewster, N.Y.;
Joseph R. Martone; **John M. Staton**,
both of Bristol, Conn.; **Gary E. Van**
Deursen, Avon, Conn.

[73] Assignee: **The Stanley Works**, New Britain,
Conn.

[**] Term: **14 Years**

[21] Appl. No.: **29/088,429**

[22] Filed: **May 22, 1998**

[51] **LOC (6) Cl.** **10-04**

[52] **U.S. Cl.** **D10/70**

[58] **Field of Search** D10/70; 356/5.1,
356/5.05; 342/118, 357, 457, 458

[56] **References Cited**

U.S. PATENT DOCUMENTS

- D. 312,050 11/1990 Singleton .
- D. 314,923 2/1991 Chan .
- D. 316,526 4/1991 Shalvi D10/70
- D. 317,881 7/1991 Shalvi D10/70
- D. 371,084 6/1996 Ogawa .

Primary Examiner—Antoine Duval Davis
Attorney, Agent, or Firm—Pepe & Hazard, LLP


[57] **CLAIM**

The ornamental design for a ultrasonic distance measuring device, as shown.

DESCRIPTION

FIG. 1 is a perspective view of an ultrasonic distance measuring device showing our new design;
 FIG. 2 is an elevational view of the side thereof seen in FIG. 1;
 FIG. 3 is a front elevational view thereof;
 FIG. 4 is a rear elevational view thereof;
 FIG. 5 is an elevational view of the side opposite that seen in FIG. 2;
 FIG. 6 is a bottom view thereof; and,
 FIG. 7 is a top view thereof.

1 Claim, 2 Drawing Sheets






FIG. 1




FIG. 3




FIG. 4




FIG. 2




FIG. 7




FIG. 5




FIG. 6